

USA

PRODUCT OFFERINGS



Always around

CASINGS & PACKAGING MATERIALS / ViskoTeepak.com

A close-up photograph of a fibrous sausage casing, showing its textured, slightly wrinkled surface.

FIBROUS
CASING

A photograph of several cellulose casings, which are smooth and cylindrical, some with small ties at the ends.

CELLULOSE
CASING

A photograph of a smooth, cylindrical nova casing, likely made of collagen or cellulose.

NOVA
CASING

A photograph of collagen casings, showing their smooth texture and some with small ties.

COLLAGEN
CASING

A photograph of various packaging materials, including small bowls of fruit and a larger container, all with a red overlay.

PACKAGING
MATERIALS

ViskoTeepak in brief.

ViskoTeepak is one of the biggest manufacturers of fibrous, cellulose and plastic casings in the world. We have production plants, converting facilities and technical support offices worldwide. We're also proud to have the industry's largest business-partner network, through which our products are offered in nearly 100 countries. Our head office (ViskoTeepak Holding Ab), which opened in May 2018, is located in Mariehamn, in Finland's Åland Islands.

In Europe, we have fibrous and cellulose production plants in Lommel (Belgium) and Hanko (Finland). Additionally, we have a plastic-casing production plant in Nuevo Laredo (Mexico). Our converting facilities are located in Delfzijl (Netherlands), Brno (Czech Republic), Kenosha (Wisconsin, USA) and Poznan (Poland). Our sales and representative offices are located all around the globe.

ViskoTeepak is owned by the Eriksson Capital Group, based in Mariehamn, Finland. Eriksson Capital is a privately owned investment company with a focus on small to medium-size high-tech industrial companies operating in the global marketplace. Eriksson Capital is active in various industries such as medical tubing, shipping, real estate, aircraft leasing and asset management.

Learn more at:



viskoteepak.com




facebook.com/ViskoTeepak




linkedin.com/company/ViskoTeepak




Contents.




We're the world's leading manufacturer of **fibrous casings**, in terms of volume as well as variety. We offer the widest range of diameters, from the smallest to the largest casing diameter. Fibrous casings are used for a wide range of applications, such as pepperoni, salami, and lunch meats. [Read more on page 6.](#)




Our **cellulose casings** product line is called Wienie-Pak. We're one of the big players in the cellulose-casing market as well. We offer our customers the most efficient cellulose casing available. Wienie-Pak is used for a wide range of applications, such as frankfurters, hot dogs, beer sausages, and mini-salamis. [Read more on page 12.](#)



Our **plastic casings** product line is called Nova. The Nova casing is a combination of different types of high-performance plastic resins, which work together to provide a unique level of performance. Nova is used for a wide range of applications such as cooked hams, liver sausages, and pâtés. [Read more on page 16.](#)



We supply **collagen casings** from the world's top producers. We offer both edible and non-edible collagen for the US and German markets. Collagen is a strong and flexible casing that is used for a wide range of applications such as cooking, dry, and fresh sausages. [Read more on page 18.](#)





We're a full-line food **packaging materials** supplier to the meat and poultry processing industry. Our packaging materials and brands are today offered mainly in Germany, Canada, Mexico, the Nordics, and the U.S. Our packaging materials are used for a wide range of products such as pouches, shrink bags, and films. [Read more on page 20.](#)

Statement

ViskoTeepak verifies that all information given in this product guide overview is based on our best knowledge and information. ViskoTeepak does not guarantee the accuracy and/or completeness of the information. This guide is solely intended for general information and is not intended to be used as the primary basis for commercial decisions. When starting to use ViskoTeepak products, it is always recommended to complete a product qualification process. The risks associated with the use of ViskoTeepak products is limited to the conditions defined in the "General Sales Terms and Conditions". These can be consulted at ViskoTeepak.com.

The name ViskoTeepak, the product names Wienie-Pak and Nova and the ViskoTeepak logo are trademarks or registered trademarks of ViskoTeepak Belgium NV and may not be used without the permission of the company.

PRODUCT PORTFOLIO.



● Fibrous Family




We're the world's leading manufacturer of fibrous casings, in terms of volume as well as variety. We offer the widest range of diameters, from the smallest to the largest casing diameter. Fibrous casings are used for a wide range of applications, such as pepperoni, salami, & lunch meats.

- **Fibrous Standard (ST)**
- **Fibrous MAX**
- **Fibrous Super Protect**
- **Fibrous Glide**
- **Fibrous Xtreme**
- **Fibrous XL**
- **Fibrous Brilliant**
- **Fibrous FLX**
- **Fibrous CRF**
- **Fibrous Preserve**

● Cellulose Family

Our cellulose product line is called Wienie-Pak. We're one of the big players in the cellulose-casing market as well. We offer our customers the most efficient cellulose casing available. Wienie-Pak is used for a wide range of applications, such as frankfurters, hot dogs, beer sausages, and mini-salamis.

- **Wienie-Pak Rapid Peel**
- **Wienie-Pak Colored Casing**
- **Wienie-Pak Window**
- **Wienie-Pak D-Tech**
- **Wienie-Pak Printed**
- **Wienie-Pak Logoprint**
- **Wienie-Pak Multicolor Printed**
- **Wienie-Pak Long-Shirred**



● Plastic Family

Our plastic product line is called Nova. The Nova casing is a combination of different types of high-performance plastic resins, which work together to provide a unique level of performance. Nova is used for a wide range of applications such as cooked hams, liver sausages, and pâtés.

- Core Series
- Shape Series
- Industrial & Automated Series
- True Series
- Permeable Series
- Mini Series
- Pet Series
- Eco Series

● Collagen Family

We supply collagen casings from the world's top producers. We offer both edible and non-edible collagen for the US and German markets. Collagen is a very strong and flexible casing that is widely used for a range of applications such as cooking, dry, and fresh sausages.

- Devro edible (Germany)
- Devro non-edible (Germany)
- Nippi edible (USA)
- Nippi non-edible (USA)
- Fibran non-edible (USA)

● Packaging Family

We're a full-line food packaging supplier to the meat and poultry processing industry. Our packaging materials and brands are today offered mainly in Germany, Canada, Mexico, the Nordics, and the U.S. Our packaging materials are used for a wide range of products such as pouches, shrink bags, and films.

- Ally Films
- Vivid Pouches
- Vista Gel
- Evolv Shrink Bags
- TNI Elastic Food Loops
- Covered Rubber Threads
- TNI Spring Pop Timers



FIBROUS

● PRODUCT PORTFOLIO

● Fibrous Standard (ST)

● Fibrous MAX

● Fibrous Super Protect

● Fibrous Glide

● Fibrous Xtreme

● Fibrous XL

● Fibrous Brilliant

● Fibrous FLX

● Fibrous CRF

● Fibrous Preserve

Fibrous casing is a cellulose-based casing strengthened with natural long-fibered abaca paper, sometimes called manila hemp fiber, which combines exceptionally high tensile strength with consistent extrusion properties in a form that renders it ideally suited for sausage casings. Due to its exceptional strength and dimensional stability, fibrous casing is traditionally seen as one of the most versatile and comprehensive packaging materials.

Widest size offering: 28–245

Color: 39 color options

Converting: 14 converting options


Adhesion levels: Widest range for tailor-making

100% biodegradable

No. 1 producer in the world

Most common applications:

- ✓ Cooked and smoked hams
- ✓ Dry and semi-dry salamis
- ✓ Cooked and smoked sausages
- ✓ Smoked cheese
- ✓ Luncheon meats
- ✓ Sliced products
- ✓ Chub sausages
- ✓ Vegetarian sausages





Fibrous MAX

Pre-stretched for maximized dry flat width. Extra-large inner bore of the shirred strand. It will speed up your process.



Fibrous Glide

An internal coating for a smooth internal surface. Perfect for stuffing whole-muscle and large-chunk products. Excellent for frozen-peeled.



Fibrous XL

Lightweight but exceptionally strong construction. It's a good alternative when the superior properties of the ST casing aren't needed.



Fibrous FLX

The thinnest fibrous casing ever produced with a glossy appearance. More meters per strand or reel, faster soaking with greater transparency.




Fibrous Preserve

This specialized antimycotic coating can be applied to all Fibrous casings to inhibit and reduce fungal growth.

Fibrous ST

Our workhorse. It's available in the world's most comprehensive range of calibers, and with multiple features and options.




Fibrous Super Protect

A designed tailor-made solution for high demanding white mold salamis. It's developed with extensive customer feedback and rigorous field testing.



Fibrous Xtreme

For extreme conditions in dry sausage production with in-house peeling and slicing.




Fibrous Brilliant

A lightweight construction combined with a coating to create a glossy appearance that will catch the customer's attention.



Fibrous CRF

The thinnest fibrous casing ever produced with a matte appearance designed to outperform and replace collagen casings by offering the benefits of the fibrous casing.



Available US sizes, RSD and circumferences

Caliber		ST			MAX			XL			FLX		
US size	Trade size	RSD mm	RSD in	Circ.	RSD mm	RSD in	Circ.	RSD mm	RSD in	Circ.	RSD mm	RSD in	Circ.
V 1/6	28	28	1.10	3 15/32									
V 1SV	32	32	1.26	3 31/32				32	1.26	3 31/32			
V 1/4	33	33	1.30	4 3/32	35	1.38	4 11/32	33	1.30	4 3/32			
V 1SU	34	34	1.34	4 7/32				34	1.34	4 7/32			
V 1/3	35	35	1.38	4 11/32	38	1.50	4 23/32	35	1.38	4 11/32			
V 1ST	36	37	1.46	4 19/32				37	1.46	4 19/32	39 / 39	1.54	4 27/32
V 1/3L	37	38	1.50	4 23/32	40	1.57	4 30/32	38	1.50	4 23/32			
V 1/2SP	38	39	1.54	4 27/32				39	1.54	4 27/32			
V 1SP	39	40	1.57	4 30/32				40	1.57	4 30/32	42 / 42	1.65	5 6/32
V 1/2P	40	42	1.65	5 6/32	43	1.69	5 10/32	42	1.65	5 6/32	43 / 43	1.69	5 10/32
V 1/2PL	41	43	1.69	5 10/32	44	1.73	5 14/32	43	1.69	5 10/32	44	1.73	5 14/32
V 1SL	42	44	1.73	5 14/32	46	1.81	5 22/32	44	1.73	5 14/32			
V 1SD	43	45	1.77	5 18/32				45	1.77	5 18/32	46 / 46	1.81	5 22/32
V 1K	44	46	1.81	5 22/32	47	1.85	5 26/32	46	1.81	5 22/32	48	1.89	5 30/32
V 1S	45	48	1.89	5 30/32	50	1.97	6 6/32	48	1.89	5 30/32	50 / 50	1.97	6 6/32
V 1SM	46	50	1.97	6 6/32	51	2.01	6 10/32	50	1.97	6 6/32			
V 1	47	51	2.01	6 10/32	52	2.03	6 12/32	51	2.01	6 10/32	53 / 53	2.09	6 18/32
V 1LM	47.5	52	2.05	6 14/32	52.5	2.07	6 16/32						
V 1L	47.8	52.5	2.07	6 16/32	53	2.09	6 18/32						
V 1W	48	53	2.09	6 18/32	54	2.13	6 22/32	53	2.09	6 18/32	54 / 54	2.13	6 22/32
V 1WM	49	53.5	2.11	6 20/32	54.5	2.05	6 14/32						
V 1M	50	54	2.13	6 22/32	56	2.20	6 29/32	54	2.13	6 22/32	56 / 56	2.20	6 29/32
V 1 1/2	52	55	2.17	6 26/32									
V 1 1/2K	53	56	2.20	6 29/32	58	2.28	7 5/32	56	2.20	6 29/32	58 / 58	2.28	7 5/32
V 1 1/2S	54	57	2.24	7 1/32									
V 2G	55	58	2.28	7 5/32	61	2.40	7 17/32	58	2.28	7 5/32	61 / 61	2.40	7 17/32
V 2M	56	59	2.32	7 9/32	61	2.40	7 17/32	59	2.32	7 9/32			
V 2	57	61	2.40	7 17/32	63	2.48	7 25/32	61	2.40	7 17/32	63 / 63	2.48	7 25/32
V 2SL	58	63	2.48	7 25/32	65	2.56	8 1/32	63	2.48	7 25/32			
V2L	60	65	2.56	8 1/32	67	2.64	8 9/32	65	2.56	8 1/32	67 / 67	2.64	8 9/32
V 2S	62	62	2.68	8 14/32	69	2.72	8 17/32	62	2.68	8 14/32	69	2.72	8 17/32
V 2 1/2K	63	69	2.72	8 17/32	71	2.80	8 25/32	69	2.72	8 17/32	71 / 71	2.80	8 25/32
V 2 1/2S	65	70	2.76	8 21/32	72	2.83	8 28/32	70	2.76	8 21/32			
V 2 1/2	68	73	2.87	9	74	2.91	9 4/32	73	2.87	9	74	2.91	9 4/32
V 2 1/2R	69	74	2.91	9 4/32	75	2.95	9 8/32						
V 3S	70	76	2.99	9 12/32	78	3.07	9 20/32	76	2.99	9 3/8	78	3.07	9 20/32
V 3 1/2	71	78	3.07	9 20/32	79	3.11	9 24/32	78	3.07	9 5/8	79	3.11	9 24/32
V 3 1/2L	73	81	3.19	10 1/32									
V 4S	75	82	3.23	10 5/32	83	3.27	10 9/32	82	3.23	10 5/32	83 / 83	3.27	10 9/32
V 4	77	84	3.31	10 13/32	85	3.35	10 17/32						
V 4L	79	86	3.39	10 21/32	87	3.46	10 28/32						
V 5	80	88	3.46	10 28/32	90	3.54	11 4/32	88	3.46	10 7/8	90	3.54	11 4/32
V 5K	82	90	3.54	11 4/32	91	3.58	11 8/32						
V 5 L	83	91	3.58	11 8/32	92	3.62	11 12/32						

Available US sizes, RSD and circumferences

Caliber		ST			MAX			XL			FLX		
US size	Trade size	RSD mm	RSD in	Circ.	RSD mm	RSD in	Circ.	RSD mm	RSD in	Circ.	RSD mm	RSD in	Circ.
V 5 1/4	84	93	3.66	11 16/32	94	3.70	11 20/32						
V 5 1/2	85	94	3.70	11 20/32	95	3.74	11 24/32	94	3.70	11 20/32			
V 5N	88	97	3.82	12	98	3.86	12 4/32	97	3.82	12			
V 6G	89	99	3.90	12 8/32				99	3.90	12 8/32			
V 6M	90	101	3.98	12 16/32	102	4.02	12 20/32	101	3.98	12 16/32			
V 6K	91	102	4.02	12 20/32				102	4.02	12 20/32			
V 6N	92	103	4.06	12 24/32	104	4.09	12 27/32	103	4.06	12 24/32			
V 6S	95	105	4.13	12 31/32	106	4.17	13 3/32						
V 6	96	106	4.17	13 3/32				106	4.17	13 3/32			
V 6 1/2	100	109	4.29	13 15/32	110	4.33	13 19/32	109	4.29	13 15/32			
V 6 1/2M	102	111	4.37	13 23/32	112	4.41	13 27/32	111	4.37	13 23/32			
V 7	104	114	4.49	14 3/32									
V 7 T	105	115	4.53	14 7/32	116	4.57	14 11/32						
V 7 L	106	116	4.57	14 11/32	117	4.61	14 15/32	116	4.57	14 11/32			
V 7 1/2	107	117	4.61	14 15/32									
V 7 1/2K	108	118	4.65	14 19/32									
V 7 1/2L	109	119	4.69	14 23/32									
V 8S	110	122	4.80	15 2/32									
V 8T	111	123	4.84	15 6/32	124	4.88	15 10/32	123	4.84	15 6/32			
V 8	112	124	4.88	15 10/32	125	4.92	15 14/32						
V 8 1/2	113	125	4.92	15 14/32				125	4.92	15 14/32			
V 8 1/2M	114	125	4.92	15 14/32									
V 8L	115	127	5.00	15 22/32	128	5.04	15 26/32						
V 9M	118	131	5.16	16 6/32	132	5.20	16 10/32	131	5.16	16 6/32			
V 9	120	133	5.24	16 15/32	134	5.28	16 19/32						
V 9L	127	136	5.35	16 26/32	137	5.39	16 30/32						
V 9 1/2	130	139	5.47	17 6/32	140	5.51	17 10/32	139	5.47	17 6/32			
V 9 1/2K	133	143	5.63	17 22/32	144	5.67	17 26/32	143	5.63	17 22/32			
V 10	135	144	5.67	17 26/32	145	5.71	17 30/32						
V 10L	140	147	5.79	18 6/32				147	5.79	18 6/32			
V 10 1/2	145	150	5.91	18 18/32									
V 11	150	156	6.14	19 9/32	157	6.14	19 9/32	157	6.14	19 9/32			
V 11L	153	158	6.22	19 17/32	159	6.26	19 21/32						
V 11 1/2	160	167	6.57	20 20/32									
V 12	165	172	6.77	21 8/32	173	6.81	21 12/32	172	6.77	21 8/32			
V 12 1/2	169	176	6.93	21 24/32	177	6.97	21 28/32						
V 12L	175	180	7.09	22 8/32									
V 13	185	190	7.48	23 16/32									
V 14	195	203	7.99	25 3/32									
V 18	210	216	8.50	26 22/32									
V 20	230	236	9.29	29 5/32									
V 24	245	252	9.92	31 5/32									

Preserve. Glide. Xtreme sizes are available upon request. Super Protect is available in sizes 62, 68, 70, 77, 80, 85, 90, 92 95 & 104. Other sizes upon request.

Color options.

Standard colors		ST/XL/BRILLIANT		FLX	Notes
		Hanko	Lommel	Lommel	
 Clear 00		★	★	★	
 Color 04 (Light Blue)		★	★	★	
 Color 05 (Blue)		★			
 B 07		★	★	★	
 Nat 08			★	★	
 Light Mahogany 10		★	★	★	
 SB 12		★			
 Amber 13		★	★	★	
 Mahogany 17		★			Hanko, available in sizes up to 75
 Red 18		★	★	★	Hanko, available in sizes up to 75
 Cherry Red 20			★	★	
 Sienna Color 23			★	★	
 Mahogany 27			★	★	
 Nat 30		★	★	★	
 Nat 34		★	★	★	
 Nat 35		★	★	★	
 Orange Brown 36		★	★	★	
 Meranti 37			★	★	
 Nat 40		★	★	★	
 Black 41		★	★	★	
 Nat 55		★	★	★	
 Onion 56		★	★	★	
 Dark Cherry Red 79		★			Hanko, available in sizes up to 75
 Light Orange 82		★			
 Amber 83		★	★	★	
 Brown Mahogany 84		★	★		Hanko, available in sizes up to 75
 Brown 85		★			
 Brown 86		★			Hanko, available in sizes up to 75
 Hazelnut 88		★			
 Brown 89		★			
 Nat 90		★			
 Brown Mahogany 91		★			Hanko, available in sizes up to 75
 Dark brown 92		★	★	★	
 Brown 93			★	★	
 Dark Mahogany 95		★			
 Brown 96		★			
 Red Mahogany 97		★			Hanko, available in sizes up to 75
 Red Brown 98		★			
 Red 99		★			

Xtreme casing is offered only in Clear 00. Glide, Preserve and Super Protect are available upon request. Other colors are available upon request. Please look at our color books for most accurate color sample.

Tailor-made via converting.

With its most comprehensive selection of casings and fibrous solutions in the world complemented with numerous converting services and techniques in a wide variety of possible combinations, ViskoTeepak feels comfortable in saying that we have something to offer to each and every customer. Our solutions are simply some of the most productive solutions around. We stand by our word, so, give us the chance to develop and test our tailor-made solutions for your operations. We'll prove our words in numbers and facts.

Options	ST	XL	Max	Brilliant	FLX	Xtreme	Preserve	Super Protect	Glide
Calibers	28–245	32–165	35–169*	33–100	36–75	48–90	32–100	57–105	75–165
Shirring	★	★	★	★	★	★	★	★	★
EasyPeel	★	★	★	★	★	★	★	★	★
RTU	★	★	★	★	★	★	★	★	★
Printing	★	★	★	★	★	★	★	★	★
Netting	★	★	★	★	★	★	★	★	★
Smoke**	★	★	★	★	★	★	★	★	★
Cutting	★	★	★	★	★	★	★	★	★
Rewinding	★	★	★	★	★	★	★	★	★
Clipping***	★	★	★	★	★	★	★	★	★
Pre-sticking	★	★	★	★	★	★	★	★	★
Drilling****	★	★	★	★	★	★	★	★	★
Sewing	★	★	★	★	★	★	★	★	★
Tying	★	★	★	★	★	★	★	★	★
Bundling*****	★	★	★	★	★	★	★	★	★

*Other sizes available upon request

** Available for calibers up to 185

*** Available in calibers 60-185 (with or without loop)

**** In Combination with tying (available up to caliber 185)

***** Only available for casing samples

Read more in our full Fibrous product guide found on www.viskoteepak.com



CELLULOSE

● WIENIE-PAK PRODUCT PORTFOLIO

- **Wienie-Pak Rapid Peel**
- **Wienie-Pak Colored Casing**
- **Wienie-Pak Window**
- **Wienie-Pak D-Tech**
- **Wienie-Pak Printed**
- **Wienie-Pak Logoprint**
- **Wienie-Pak Multicolor Printed**
- **Wienie-Pak Long-Shirred**

Wienie-Pak casings are made of regenerated cellulose that's extruded to create a strong, tough small-caliber product ideal for wiener and frankfurter type sausages. Wienie-Pak casings are smoke, air and moisture permeable, so they provide customer satisfaction with consistent quality and utmost efficiency time after time. ViskoTeepak Wienie-Pak has a complete range of sizes, from the smallest caliber 13 for mini-salamis and snack products to 40. We have a casing for every size demand.

Colors and stripes: 22 different choices

End closures: 4 types

Packaging options: 14 different options

Long-Shirred products that fit your technology & equipment

100% biodegradable

Tailor-made to fit your need

Most common applications:

- ✓ Skinless sausages
- ✓ Frankfurters
- ✓ Smoked frankfurters
- ✓ Hot dogs
- ✓ Smoked hot dogs
- ✓ Mini salamis




Wienie-Pak Colored Casings

Colored casings are a universal marketing tool that can be used everywhere regardless of local traditions.



Wienie-Pak Window

Ultimate process control while keeping maximum speeds. Detection of casing in peeling operations, while still being able to track the sausage color formation during processing.



Wienie-Pak D-Tech

Easy detection of casing in peeling operations, while still being able to track the sausage color formation during processing.



Wienie-Pak Printed

A casing that combines high productivity and easy handling with the increased appeal of your products. It can be printed with customer logos or in line with customer-specific requirements.

Wienie-Pak Logoprint

Highlight your brand on both the casing and the actual sausages. LogoPrint casing provides you with the unique possibility to promote your brand by imprinting it on your final product.




Wienie-Pak Multicolor Printed




















A Highly productive and easy handling cellulose casing which can be tailored with customer-specific printing options.

Wienie-Pak Long-Shirred

Long-shirred products are products that fit each customer's technology and equipment. A growing interest in longer products is specifically for Alkar J-con lines.



Color options

Solid colors		Striped colors	Window colors
 Clear	 Smoke ultra light	 White	 Blue/clear
 Smoke light	 Smoke V	 White smoke light	 Red/clear
 Smoke medium	 Blue	 Black	 Green/clear
 Smoke dark	 Red	 Blue	
 Smoke gold	 Green	 Red	
		 Green	



See color books for the most accurate color sample


Recommended stuffing machine settings

Casing size			RSD* (mm)	Marel-Townsend				Other metric horn (mm)
Nom.	EU	US		Horn		Chuck number "/32	Linking chain	
				mm	"/32			
13	1300	13	14.0	7.9	10	13, 14	C	8
14	1400	14	15.2	8.7	11	14, 15	C	8
	1450	15	15.8	8.7	11	14, 15	C	9
15	1550	16	16.2	9.5	12	15	C	9
16	1600	17	16.8	9.5	12	15, 16	C	9
	1650	18	17.5	10.3	13	16, 17, 18	C	10
17	1700	19	18.3	10.3	13	17, 18, 19	C–S	10
18	1750	20	18.9	11.1	14	18, 19	C–S	11
19	1850	21	19.5	11.1	14	19, 20	C–S	11
20	1950	22	20.0	11.9	15	20, 21	S	11
21	2050	23	21.0	11.9	15	20, 21, 22	S	12
22	2150	24	22.0	12.7	16	21, 22	S–L	12
23	2250	25	23.0	12.7	16	22, 23	S–L	12
24	2350	26	24.0	13.5	17	23, 24	S–L	13
25	2450	27	25.0	13.5	17	24, 25	S–L	13
26	2550	28	26.0	15.9	20	25, 26	L	16
27	2650	29	27.0	15.9	20	26, 27	L	16
28	2750	30	28.0	16.7	21	27, 28	L	17
30	2950	32	29.5	16.7	21	29	L	17
32	3150	34	31.5	17.5	22	29	L	18
34	3350	36	33.5	18.3	23	32	L	19
38	3750	40	37.0	19	24	34	L	19

Tailor-made products are available. *RSD = Recommended stuffing diameter.

Casing properties

Casing size			RSD* (mm)	Construction	Solid color	Stripe color	Number of stripes	Printed	Definition
Nom.	EU	US							
13	1300	13	14.0	0	C, SL, BI	W, Bk	3, 4	No	Solid Colors C= Clear SL= Smoke Light SM= Smoke Medium SD= Smoke Dark BL= Blue
14	1400	14	15.2	0	C, SL, BI	W, BI	3, 4	No	
	1450	15	15.8	0, G	C, SL, BI	W, Bk, BI, R	3, 4	No	
15	1550	16	16.2	0, G, W	C, SL, BI	W, Bk, BI, R	3, 4	No	
16	1600	17	16.8	0, G, W	C, SL, BI	W, Bk, BI, R	3, 4	No	
	1650	18	17.5	0, G	C, SL, BI	W, Bk, BI, R	3, 4	Yes	
17	1700	19	18.3	0, G, U, W	C, SL, BI	W, Bk, BI, R	3, 4	Yes	
18	1750	20	18.9	0, G, W	C, SL, BI	W, Bk, BI, R	3, 4	Yes	
19	1850	21	19.5	0, G, W	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
20	1950	22	20.0	0, G, W	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	Stripe Colors W = White Bk= Black BI= Blue R= Red
21	2050	23	21.0	0, W	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
22	2150	24	22.0	0, G, J, W	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
23	2250	25	23.0	0, J, W	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
24	2350	26	24.0	0, J	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
25	2450	27	25.0	0	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	Construction 0 = Standard G = Stiff W = Flexible J = Super Stiff/Less Strong
26	2550	28	26.0	0, J	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
27	2650	29	27.0	0	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
28	2750	30	28.0	0, J	C, SL, SM, SD, BI	W, Bk, BI, R	3, 4	Yes	
30	2950	32	29.5	0	C, SL, SM, SD, BI	W, BI, R	3, 4	Yes	
32	3150	34	31.5	0	C, SL, SM, SD, BI	W, BI, R	3, 4	Yes	
34	3350	36	33.5	0	C, SL	BI, R	3, 4	Yes	
38	3750	40	37.0	0	C, SL	BI	3, 4	No	




Open end (OE)



Closed end (CE)



Push-pak (CE-PP)



Knotted end (CE-KN)

Read more in our full Wienie-Pak product guide found on www.viskoteepak.com



PLASTIC

● NOVA PRODUCT PORTFOLIO

- Core Series
- Shape Series
- Industrial & Automation Series
- True Series
- Permeable Series
- Mini Series
- Pet Series
- Eco Series

Nova is a wide group of engineered plastic casing products extruded from a variety of raw materials combined to develop unique performance properties. Ranging from one to multi-layers, each raw material is melted at an individual extruder to form a tubing. Once formed, the seamless tubular film of many Nova products may be stretched or oriented through a bubble process to create specific mechanical and physical properties.

8+8 color printing

Traceability system and codes for many products

Converting: Wide variety of options

High number of meters per shirred strand

Tailor-made to meet customer requirements

Broad selection of casings and color options

Most common applications:

- ✓ Raw meat
- ✓ Chorizo
- ✓ Cheese
- ✓ Liver sausages/ Pâté
- ✓ Cooked/Smoked sausages
- ✓ Fast fermented Salami
- ✓ Pet food



Shape Series

Shape Series of products create a wide spectrum of shapes with ease. Designed for non-cylindrical products, special features of shrink, adhesion and thickness are tailor made to your application.



True Series

Nova True series offer the power of a stable, stronger oriented plastic casing designed for cylindrical products. Advanced size control provides precise weight and product length critical for packaging, especially for small diameter products.



Mini Series

Engineered for small-diameter products like hot dogs and mini salamis, it offers consistent portioning and top performance in filling, processing, and packaging—for meat, poultry, and vegetarian options.



Eco Series

Our sustainability focused line reduces packaging waste with recyclable options—combining performance and environmental responsibility across diverse applications.

Core Series

Core series encompasses our group of high-performance multilayer plastic casing suitable for all types of round / cylinder-shaped products.



Industrial & Automation Series

Includes single-layer and multi-layer casings engineered for optimized performance and ease. Designed for automation lines, the series offers rapid casing removal, resistance to delamination, and compatibility with high-pressure pasteurization and retort sterilization—ideal for high-speed processing where yield and efficiency are key.



Permeable Series

Permeable Series uses moisture- and oxygen-permeable plastics, creating a cost-effective and consistent plastic casing product.



Pet Series

Delivers tailor-made casings for both industrial and retail pet food. With high-visibility options, durable print quality, and easy-peel features, it ensures safe, efficient production and stand-out shelf appeal for raw, cooked, high-pressure pasteurized, and retort sterilized products.



Nova Series.

We can tailor-make our Nova product to optimize performance for the needs in your product or production process. Based on a variety of choices below, we can select the most suitable casing for you here.

Series Name	Applications	Product options
Core Series	Cooked Ham & Poultry, Vegan, Meat Analogues, Butter, Cheeses. Retail and long shelf life oriented.	L, X, RC, RCF, RHB, RX, PR
Shape Series	Square or rectangular ham, poultry or plant based, D-Shaped, Natural and Ring bologna shapes and molds. Retail and long shelf life as well as food service applications.	HX, XHA, RM, XHA+, PR, RS, SP, RNG
Industrial & Automation Series	Raw & frozen meat and alt-meat products, sliced/diced items, soups, gravies, chorizo. Now includes high-speed automation lines needing fast casing removal and yield optimization.	M5, PB, PLL, PHD, C, SCF, RTR-T, RHC, RSE, RT
True Series	Pet foods thermally processed retail, liverwurst, small diameter chubs, braunschweigers, plant based, chorizos, hot dogs with casing left on. Retail oriented small diameters or harsh thermal processes.	RHC, XT, LT, REP, RXM, RP, HD
Permeable Series	Allows you to produce cured, smoked and fermented items such as salami, hams, hot dogs, while gaining performance and cost advantages.	PN, PM
Mini Series	Hot dogs, frankfurters, mini salamis – meat, poultry, or plant based. Ideal for consistent portioning in small-diameter formats. Retail and food service ready.	RMC, RMS, LMC, SCF-M, HD-P, HD
Pet Series	Raw, dehydrated, and thermally processed pet foods. Tailored for industrial and retail. Supports HPP and thermal processes with high-visibility, easy-peel options.	HVO, HVT, X-PET, PET-HD, PET-RC, RTR-T
Eco Series	Sustainable casing solutions for various food types. Reduces packaging and supports recyclable formats. Designed with future-focused materials.	X-E, L-E, SCF-E, RC-E, RHB-E



















Nova Attributes


Attributes	Availability
Shrink Levels	0%, 5%, 8%, 10%, 12%, 15%
Meat Adhesion	Standard, AP, HA, HA+
Easy Release	LA, MR, MR+, SES, EP
O ₂ Barrier	Permeable, Low Barrier, Medium Barrier, High Barrier
Gauge (mic)	30, 38, 43, 45, 48, 50, 55, 60
Flexibility	Low Flex, Standard Flex, High Flex
Special Function	UV, PR, SMOKE

Color options.

Color options

 Clear 001	 Red orange 330	 Light blue 103	 Gold 322
 White 233	 Dark red 316	 Light green 119	 Copper 313
 Black 211	 Brown 212	 Light red 128	 Cream 314
 Red 328	 Mahogany	 Light amber 111	 Pink 635

Nova Basic Structure:



Polyamide



Tie layer



Polyolefine



Tie layer



Polyamide



Casing caliber vs. inner diameter during shirring

RSD (mm)	Inner diameter	Package
34–39	Min. 24 mm (0.944 in.)	Net
40–49	Min. 28 mm (1.10 in.)	Net
50–59	Min. 36 mm (1.41 in.)	Net
60–70	Min. 41 mm (1.61 in.)	Net
71–84	Min. 52 mm (2.04 in.)	Net
85–99	Min. 61 mm (2.40 in.)	Net
100–114	Min. 74 mm (2.91 in.)	Net / plastic bag
115–135	Min. 85 mm (3.34 in.)	Net / plastic bag
136–156	Min. 95 mm (3.74 in.)	Net / plastic bag
156–163	Min. 115 mm (4.52 in.)	Net / plastic bag
164–184	Min. 125 mm (4.92 in.)	Net / plastic bag
185–194	Min. 141 mm (5.55 in.)	Net / plastic bag
195–205	Min. 158 mm (6.22 in.)	Net / plastic bag

Read more in our full Plastic product guide
found on www.viskoteepak.com



COLLAGEN

● NIPPI & FIBRAN PRODUCT PORTFOLIO

- Devro edible (Germany)
- Devro non-edible (Germany)
- Nippi edible (USA)
- Nippi non-edible (USA)
- Fibran non-edible (USA)

ViskoTeepak is working with some of the biggest and best producers in the world and can in partnership with them offer you some of the best casing solutions in the collagen business. For the U.S. market we offer Nippi as edible and Fibran as non-edible collagen.

Safe & hygienic: Minimal handling vs. natural casing

Saves money: Tight diameter control and reduced shrink for improved yields

Consumers like it: Strong casing with a tender bite

Versatile: Designed for a wide range of applications

Available in the USA

Most common applications:

- ✓ Breakfast; pork, turkey and chicken links
- ✓ Andouille
- ✓ Chorizo
- ✓ Fresh sausages
- ✓ Smoked sausages
- ✓ Semi-dried sausages
- ✓ Dried sausages


Read more in our full Collagen product guide found on www.viskoteepak.com





Nippi K-type & CK-type

Nippi K-type is designed to provide alternative bite properties vs. the standard R-type casing. Nippi CK-Type is designed with more resistance for a snappy snack stick bite.



Nippi NF-type

Nippi NF is an edible casing designed for improved machining on loading equipment and reduced sticking during skillet frying. It's perfect for fully cooked fresh sausages.



Fibran NF

This high-quality, non-edible collagen casing is ideal for cooked sausages or those subject to prolonged cooking processes and other products that require a high permeability and adherence.



TER - Tender Edible Round

TER is a tender edible round casing specially meant for substitution of natural casing, with excellent bite. This casing is suitable for fresh, cooked and smoked sausages (Frankfurt type).



Nippi R-type

For processed, smoked, semi-dry and dry sausages. The extra strong membrane enables trouble-free high-speed stuffing which improves profitability.



Nippi F-type

For fresh sausages cooked quickly by dehydrated heat. It's able to maintain its shape when cooked; there is very little shrinkage, so breakage and pull back after frying is minimal.



Fibran S1

This high-quality non-edible collagen casing is most suitable for processing of all kinds of cured meats.



SET - Straight Edible Tender

SET is a straight edible tender specially meant for smoked and cooked sausages in large calibers. This casing is the most convenient for sausages bigger than caliber 38.



COLEX - Edible Collagen Casing

COLEX is an edible collagen casing specifically meant for cured and cooked sausages. This ready to use casing provides high adherence and elasticity, an extra thin wall and soft bite. COLEX is available in straight and round shape.

PACKAGING

● PACKAGING MATERIAL PORTFOLIO

- Ally Films
- Vivid Pouches
- Vista Gel
- Evolv Shrink Bags
- TNI Elastic Food Loops
- Covered Rubber Thread
- TNI Spring Pop Timers

ViskoTeepak is a food-packaging supplier with more than four decades of service to the food industry. Today, our packaging materials are mainly offered in Germany, Canada, USA and Mexico. Please contact your ViskoTeepak sales representative for availability in your country. Our packaging materials covers a wide range of products, such as, pre-tied elastic food loops, films, shrink bags, pouches and alginate gel.

All products available from one supplier

Added value: With technical support

One-stop shop: From casings to packaging materials

Food safety & high certification level

Easy to use

Read more in our full Packaging product guide found on www.viskoteepak.com





Vivid Pouches

Vivid pouches offer a Ten-color high-resolution rotogravure printing. Colors pop and gives images an exceptionally photo-realistic look, making your product stand out for strong sales and profit.



Evolv Shrink Bags

ViskoTeepak Evolv shrink bags have excellent gloss, clarity and shrink to provide the best appearance for maximizing sales.



Covered Rubber Thread

Covered Rubber Thread have the same high-quality solution as TNI Loops, optimized for automated systems. Available on spools for high-speed food processing.



Ally Films

ViskoTeepak films offer multiple gauge, treatment and color options. High quality printing capabilities will allow upgrading graphics to the latest designs. Wide sealing temperature ranges provide a reliable seal at high speeds.



Vista Gel

Vista Gel is a sodium alginate based product ideally suited for use in the co-extrusion manufacture of all types of sausages. Sodium alginate is a sustainable casing material.



TNI Elastic Food Loops

Our pre-tied loops are used primarily for chicken trusses for rotisserie chicken processing, but they can also be used for tying corn-husk-wrapped tamales, holding bacon on filets, tournedos, and many other applications.




TNI Spring Pop Timers

Spring Pop Timers provide a simple and reliable way to ensure perfectly cooked meals every time. These precision timers are inserted into food products and activate by "popping up" when the core temperature reaches the desired setting.

Common Applications

Product	Applications
Ally Films	Cheese, Fish, Sea food, Bakery Products
Vivid Pouches	Pet food, Jerky, Deli, Coffee
Vista Gel	Vegetarian sausages, Fish, Meat sausages, Poultry sausages
Evolv Shrink Bags	Processed/Fresh/Smoked meats,Sausages, Fish, Cheese
TNI Plastic Loops	Rotisserie Chicken, Beef roll-ups, Tamales, Tournedos
Covered Rubber Thread	Automated trussing systems for chicken, meat and other food items
TNI Spring Pop Timers	Roast Beef, Pork Roast, Whole Chickens, Boneless Ham or Turkey

[illegible]





Always around

Contact information for your local sales representative can be found at www.viskoteepak.com

Sales

Steve Van Zeeland

Vice President,
Sales & Marketing, USA
+262 697-6502
+262 818-1843

Kevin Lewis

Product Manager,
Fibrous & Collagen, USA
+ 262 697-6567
+ 262 945-5693

Colin Neill

Product Manager,
Wienie-Pak, Nova, TNI, USA
+ 262 697-6554
+ 262 909-4830

Ted Gianakos

Sales Director
+ 1 262 914-3679

Curt Rubinstein

Sales Director
+ 864 915-6830

Greg Davidson

Sales Director
+ 262 909-3077

Steve Calvert

Sales Manager, Southeast
+ 262 909-7789

Ayleen Gonzalez

Sales Manager, Southwest
+ 832 318-7395

Nelson DeJesus

Sales Manager, Northeast
+ 262 909-6994

Dustin Hembrook

Sales Manager, Midwest (north)
+ 262 909-5133

Mike Hughes

Sales Manager, Midwest (south)
+ 262 909-7184

Daisy Flores

Sales Manager, Western Region
+ 262 909-5259

Customer Service, USA

1-800-558-4058

Technical sales

Ariel Winegar

Senior Technical Sales Manager
+ 262 909-3096

Alex Sabillion

Technical Sales Manager
+ 262 909-8956

Patrick McGrath

Technical Sales Manager
+ 262 909-9712

Tim Buckson

Technical Sales Manager
+ 414 500-8216

Plants & Offices

Czech Republic

Vlastimila Pecha 1270/14
627 00 Brno - Slatina
Czech Republic
+ 420 544 125 111

The Netherlands

Rondeboslaan 18
NL - 9936 BK Delfzijl
+ 31 596 646 444

Finland

Viskontie 38
FI - 10900 Hanko
+ 358 207 599 499

USA

1126 88th Place
Kenosha, Wisconsin
53143-6538
+ 1 800 558 4058

Belgium

Maatheide 81
BE-3920 Lommel
+ 32 11 550 711

Mexico

Galeria 8 Parque
Industrial América
Nuevo Laredo,
88277 Tamaulipas
+ 52 867 718 2818

Poland

Baranowo, ul.
Rzemieślnicza 79
62-081 Przeźmierowo
+ 48 61 823 82 91

Germany

Ottensener Straße 14
22525 Hamburg
+ 49 40 5400 030

Head office

Finland

Torggatan 6
FI-22100 Mariehamn
+ 358 18 526 708